## **X8: Specifications**

## JURA standards

Pulse Extraction Process (P.E.P.®)	Yes
Variable brewing chamber	5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S. <sup>©</sup> )	Yes
Grinder	Aroma <sup>G3</sup> grinder
Thermoblock heating system	2
JURA fine foam technology	Yes
Maintenance status display	Yes
Integrated rinsing, cleaning and descaling program	Yes
Integrated milk system rinsing and cleaning programme	Yes
JURA hygiene: TÜV-certified	Yes
Filter cartridge	CLARIS Pro Smart
Energy Save Mode (E.S.M. <sup>©</sup> )	Yes

## Specialities

Products	Ristretto 2 × Ristretto Espresso 2 × Espresso Coffee 2 × Coffee Cappuccino 2 × Cappuccino Caffè latte 2 × Caffè latte Latte macchiato 2 × Latte macchiato Flat white 2 × Flat white Portion of milk 2 × Portion of milk Hot water
	Hot water for green tea

Special coffee

	2 x Special coffee
Pot of espresso-quality coffee	Yes
Hot water function	Yes
Pot of coffee (360 ml / 12 oz.)	2 min. 20 sec.
2 latte macchiati	1 min. 50 sec.
2 cappuccini	1 min. 18 sec.
2 caffè latte (cafés au lait)	1 min. 34 sec.
2 coffees	1 min. 3 sec.
2 espressi	48 sec.
2 ristretti	33 sec.
Hot water (200 ml / 7 oz.)	50 sec.
Specific advantages	
Number of products	21
Compatible with J.O.E <sup>®</sup>	Yes
Active bean monitoring	Yes
Monitored drip tray	Yes
Settings and programming options	
Programmable and individually adjustable amount of water	Yes
Programmable and individually adjustable coffee strength (Levels)	10
Programmable brewing temperature	2
Hot water temperature can be programmed in levels	3
Shows the number of preparations for each individual product	Yes

## **Design and materials**

26/08/2020	X8 - JURA Canada
Display	TFT color display
Sound design	Yes
Areas of use and recommended maximum daily output	
Recommended maximum daily output	80
Areas of use	Catering Large offices Canteens Self-service areas Service provider Reseller
In figures	
Height-adjustable dual spout	65 - 153 mm
Water tank capacity	5 L
Bean container can be optionally extended to	1000 g
Coffee grounds container (servings)	40
Cable length	1.2 m
Voltage / Power	120 V ~
Current	10 amp
Stand-by power	< 0.5 Watt
Weight	14 kg
Width	37.3 cm
Height	47 cm
Depth	46.1 cm
Article Number	15177